

-2-

**In the Claims**

Please amend the following claims by deleting the language which is enclosed in brackets "[ ]" and inserting the language which is underlined "      ".

1. (Currently amended) A nonabsorbent particle entrapment pad comprising:

an impervious bottom layer; and

a bonded high loft, non-absorbent nonwoven top layer, said high loft nonwoven being defined as an open pore matrix or web of fibers or filaments randomly oriented and fused at intersecting points of said fibers or filaments and attached to ~~[[a barrier]]~~ said impervious bottom layer;

wherein said bonded high loft nonwoven top layer is adapted such that the internal pores, and interstices allow for intrusion of particles to gravitate through said pores and, when ~~[[receives collected]]~~ externally applied fine to coarse solid particles collect in the web of fibers ~~[[thereby]]~~ to entrap ~~[[entraps]]~~, and ~~[[retains]]~~ to retain collected particles, and wherein said ~~[[base barrier]]~~ impervious bottom layer maintains said collected particles within said entrapment pad.

2. (Previously presented) The pad of claim 1, further comprising an externally applied, cling enhancing substance placed or applied within at least a portion of said fibers within said matrix or web, wherein cling enhancing substance enhances the ability of the matrix fibers to mechanically cling on to the solid particulates.

3. (Previously presented) The pad of claim 2 wherein said cling enhancing substance places

-3-

or applied on the fibers is purposely preloaded with dry solid particles that are soluble in water, or react with water when wetted.

4. (Previously presented) The pad of claim 3, wherein said dry reactive particles are selected from the group comprising: baking soda; dry or powdered particulates; anti-microbial agent; superabsorbent polymer; disinfectant; silica gel; antifungal; fragrance; and odor-counteractive agent.

5. Canceled

6. Canceled

7. (Withdrawn) The pad of claim 1, further comprising a liquid-absorbing middle layer.

8. (Withdrawn) The pad of claim 7, wherein said middle layer is wood pulp.

9. (Withdrawn) The pad of claim 7, wherein said middle layer is a super absorbent polymer.

10. (Withdrawn) The pad of claim 7, wherein said middle layer is treated with baking soda.

11. (Withdrawn) The pad of claim 10, further comprising a super absorbent polymer.

-4-

12. (Withdrawn) The pad of claim 7, wherein said middle layer is treated with an anti-microbial agent.
13. (Withdrawn) The pad of claim 7, wherein said middle layer is treated with an odor-counteractive agent.
14. (Withdrawn) The pad of claim 8, wherein said wood pulp is treated with a super absorbent polymer.
15. (Withdrawn) The pad of claim 7, wherein said top layer is treated with a cling enhancing substance.
16. (Withdrawn) The pad of claim 7, wherein said top layer is treated with baking soda.
17. (Withdrawn) The pad of claim 7, wherein said top layer is treated with an anti-microbial agent.
18. (Withdrawn) The pad of claim 7, wherein said top layer is treated with an odor-counteractive agent.
19. (Withdrawn) The pad of claim 7, wherein said pad includes a decorative design.

-5-

20. (Original) The pad of claim 1, wherein said collected particles are selected from the group comprising: cat litter; workshop debris, dust; and pet food.
21. (Withdrawn) The pad of claim 7, wherein said pad is used as a dish-draining mat.
22. (Withdrawn) The pad of claim 7, wherein said pad is used as a doormat.
23. (Withdrawn) The pad of claim 25, wherein said doormat is a runner.
24. (Withdrawn) The pad of claim 7, wherein said pad is used as a car floor mat.
25. (Withdrawn) The pad of claim 7, wherein said pad is used as a bathroom mat.
26. (Withdrawn) The pad of claim 7, wherein said pad is used under countertop soap dishes and dispensers.
27. (Withdrawn) The pad of claim 7, wherein said pad is used to line garbage receptacles.
28. (Withdrawn) The pad of claim 7, wherein said pad is used to catch excess water and soil under potted plants.

-6-

29. Canceled

30. Canceled

31. Canceled

32. (Withdrawn) The pad of claim 7, wherein said pad is used in the vicinity of a pet food or pet water dish.

33. (Withdrawn) The pad of claim 4, wherein said baking soda absorbs odors in a refrigerator.

34. (Withdrawn) The pad of claim 9, further comprising baking soda, wherein said pad is used to absorb odors and excess moisture.

35. (Withdrawn) The pad of claim 7 wherein said middle layer is mostly silica gel.

36. (Original) A particle entrapment pad comprising an impervious bottom layer and a high loft non-woven top layer, wherein said top layer includes a plurality of cat litter particles entrapped within a matrix of said non-woven.

-7-

37. (Withdrawn) The pad of claim 36, further comprising a liquid-absorbing middle layer.
38. (Withdrawn) The pad of claim 36, wherein said middle layer is wood pulp.
39. (Withdrawn) The pad of claim 36, wherein said middle layer is a super absorbent polymer.
40. (Withdrawn) The pad of claim 38, wherein said wood pulp is treated with a super absorbent polymer.
41. (original) The pad of claim 36, wherein said top layer is treated with a cling enhancing substance.
42. (original) The pad of claim 36, wherein said top layer is treated with baking soda.
43. (Withdrawn) The pad of claim 36, wherein said middle layer is treated with baking soda.
44. (Withdrawn) The pad of claim 43, wherein said middle layer is treated with a super absorbent polymer.
46. (Withdrawn) The pad of claim 36, wherein said middle layer is treated with an anti-microbial agent.

-8-

47. (Original) The pad of claim 36, wherein said top layer is treated with an odor-counteractive agent.
48. (Withdrawn) The pad of claim 36, wherein said middle layer is treated with an odor-counteractive agent.
49. (Withdrawn) An anti-odor pouch comprising:
- a non-woven front layer;
  - a non-woven back layer attached to said non-woven front layer; and
  - a middle layer of baking soda layered between said front and back layer.
50. (Withdrawn) The anti-odor pouch of claim 49 wherein said middle layer includes a non-woven treated with baking soda.
51. (Withdrawn) The anti-odor pouch of claim 49, wherein said pouch is used to deodorize a refrigerator.
52. (Withdrawn) The anti-odor pouch of claim 49, wherein said middle layer further comprises silica gel.
53. (Withdrawn) The anti-odor pouch of claim 52, further comprising a super absorbent polymer.

-9-

54. (Withdrawn) The anti-odor pouch of claim 52, wherein said pouch is used to deodorize and dehumidify a refrigerator.

55. (Withdrawn) A method of entrapping particles comprising:

laycring a high loft non-woven top layer, having an upper end and a lower end, on top of an impervious bottom layer to create a two-layer pad;

attaching said lower end of said top layer to said bottom layer; and

placing said pad, top layer up, upon a surface where particles will fall;

wherein, when said particles fall upon said non-woven top layer said particles become trapped within a matrix of said non-woven top layer;

wherein, fine particles fall to said lower end of said top layer;

wherein, coarse particles are suspended within said matrix; and

wherein, said pad can be easily disposed of without spilling said particles.

56. (Withdrawn) The method of claim 55, wherein said pad is used to entrap litter particles.

57. (Withdrawn) The method of claim 55, wherein said pad is used to entrap carbon particles.

58. (Withdrawn) The method of claim 55, wherein said pad is used to entrap dust particles.



-10-

59. (Withdrawn) The method of claim 55, wherein said pad is used to entrap soil

60. (Withdrawn) The method of claim 55, wherein said pad is used to entrap food particles.

61. (Withdrawn) A method of entrapping particles while absorbing liquid comprising:

laycring a high loft non-woven top layer, having an upper end and a lower end, on top of  
a liquid-absorbing middle layer that is layered upon an impervious bottom layer to  
create a three-layer pad;

attaching said lower end of said top layer to said middle layer;

attaching said middle layer to said bottom layer; and

placing said pad, top layer up, upon a surface where particles and liquid will fall;

wherein, when said particles fall upon said non-woven top layer said particles become  
trapped within a matrix of said non-woven top layer;

whercin, fine particles fall to said lower end of said top layer;

wherein, coarse particles are suspended within said matrix;

wherein, when liquid falls upon said non-woven top layer, said liquid passes through said  
top layer and is absorbed by said middle layer; and

whercin, said pad can be easily disposed of without spilling said particles and said liquid.

-11-

62. (Withdrawn) The method of claim 61 wherein said middle layer includes baking soda.
63. (Withdrawn) The method of claim 62 wherein said middle layer includes a super absorbent polymer.
64. (Withdrawn) The method of claim 61, wherein said pad is used to entrap water.
65. (Withdrawn) The method of claim 61, wherein said pad is used to entrap urine.
66. (Withdrawn) The method of claim 61, wherein said pad is used to entrap litter particles.
67. (Withdrawn) The method of claim 61, wherein said pad is used to entrap food particles.
68. (Withdrawn) The method of claim 61, wherein said pad is used to entrap soil.
69. (Withdrawn) The pad of claim 1, further comprising a means for attaching said pad to another surface.
70. (Original) The pad of claim 2 wherein said cling enhancing substance is a sticky

-12-

substance.

71. (Withdrawn) A particle entrapment pad comprising:

a high loft, non absorbent nonwoven top layer treated with a cling enhancing substance to receive and trap particles, said high loft nonwoven being defined as a matrix formed of fibers or filaments randomly oriented and fused at intersecting points of said fibers or filaments and secured to an impervious bottom layer to maintain said particles within said entrapment pad,

wherein said high loft non-woven top layer receives and entraps particles and said bottom layer is impervious to said particles.

72. (Withdrawn) The pad of claim 71 wherein said top layer is treated with a dry particulate substance selected from the group comprising: baking soda; superabsorbent polymer; antimicrobial agent; commercially available tacky material;; silica; fragrance; calcium carbonate; fragrance; and odor counteractive agent.

73. Canceled

74. Canceled

75. (Withdrawn) A particle entrapment pad comprising:

a high loft, non-woven top layer, said high loft non-woven being defined as a matrix

-13-

formed of synthetic fibers or filaments randomly oriented and fused at intersecting points of said fibers or filaments, forming an open porous structural web or matrix, capable to receive and trap particles and secured to a bottom layer to maintain said particles within said entrapment pad;

said top layer being treated with a cling enhancing substance applied or placed within the web; and

said high loft nonwoven top layer is treated with at least one additional dry, solid particulate, agent.

76. Canceled

77. (Withdrawn) The pad of claim 75 wherein said cling enhancing substance can contact a particle, entrapping or clinging to it mechanically without forming a chemical reaction or forming chemical bonds between said particle and said cling enhancing substance.

78. (Withdrawn) The pad of Claim 75, wherein said additional dry particulate agent is selected from the group comprising: baking soda; antimicrobial agent; at least one superabsorbent polymer; fragrance; an odor counteractive agent.

79. Canceled

80. Canceled

-14-

81. Canceled

82. (Withdrawn) A particle entrapment pad comprising an impervious bottom layer and a high loft non-woven top layer, wherein said high loft non-woven top layer includes a cling enhancing substance within a matrix of said non-woven that is sticky and can cling to dry particulates without entering into a chemical reaction with those particulates and is chemically inert while clinging to the particulates.

83. (Withdrawn) The pad of Claim 82, further comprising: dry particles preloaded to said cling enhancing substance.

84. (Withdrawn) The pad of Claim 83, wherein said reactive particles are chemically reactive when solubilized in a liquid.

85. (Withdrawn) The pad of Claim 83, wherein said reactive particles are selected from the group comprising: substance selected from the group comprising: baking soda; dry or powdered particulates; anti-microbial agent; superabsorbent polymer; disinfectant; silica gel; antifungal; fragrance; and odor-counteractive agent.

86. Canceled

87. Canceled

-15-

88. Canceled

89. Canceled

90. Canceled

91. (Withdrawn) An absorbent particle entrapment pad comprising:

a high loft, non-absorbent nonwoven top layer, said high loft nonwoven being defined as  
an open pore matrix or web of fibers attached to an impervious bottom layer;  
and

a cling enhancing substance applied to at least a portion of said fibers; and  
superabsorbent polymer affixed to said cling enhancing substance;

wherein said superabsorbent polymer clinging to said fibers allow said non-absorbent  
nonwoven top layer to emulate absorbency when wetted.

92. (Previously Presented) The pad of claim 2, where the cling enhancing substance is  
placed or applied within the matrix and the fibers of the bonded, web, highloft matrix so that a  
sticky, residue, remains. that can mechanically entrap solid particulates that come in contact with  
the sticky substance.

93. (Previously Presented) The Cling agent of claim 92 whereby the sticky, tacky, residue  
remaining on the inert fibers of the matrix mechanically adheres to entering particulates within

-16-

the web to hold them and does not chemically react with these particulates such as by creating chemical bonds.

94. (Previously Presented) The cling agent of Claim 92 where the sticky, mechanical entrapment of the entering particulates holds dry particulates of Superabsorbent polymers, Baking Soda, Fragrances and odor counteractants, disinfectants., fungicides.

95. (Withdrawn) The pad of Claim 83, wherein said reactive particles are chemically reactive when exposed to a Gas such as Air.